

TOWN OF ACTON  
PERMIT  
HAZARDOUS MATERIALS CONTROL BYLAW  
ARTICLE 25  
1985 ANNUAL TOWN MEETING

---

FILE NUMBER: 88-4

PROJECT LOCATION: 2 Eastern Rd

APPLICANT: Doctor Inc.  
Paul Murphy

DATE OF ISSUANCE: 11/28/88

MAILING ADDRESS: 2 Eastern Rd

FEE: \$150.00

---

Pursuant to the authority of Chapter I- Hazardous Materials Control Bylaw of the Town of Acton's General Bylaws the Board of Health has considered your application and plans submitted therewith, and has determined that the materials to be stored within the scope of the said Bylaw. The Board of Health hereby orders that the following conditions are necessary and all storage must be performed in strict conformance herewith:

---

CONDITIONS:

1. Oil and waste must be removed by a qualified disposal service.
2. A yearly inspection of the underground storage tank must be done with a report to the Board of Health.
3. All MSDS's must be made available for inspection by all workers.
4. Sufficient bags of cleanup material must be available in the event of a spill of hazardous materials.
5. The containment buffer surrounding the drum be capable of holding 150 gallons.
6. The underground storage tank must be inspected once per year.
7. The underground storage tank must be at least 500 gallon capacity.

**APPROVED**

NOV 28 1988

**ACTON BOARD OF HEALTH**

TOWN OF ACTON  
PERMIT  
HAZARDOUS MATERIALS CONTROL BYLAW  
ARTICLE 25  
1985 ANNUAL TOWN MEETING

FILE NUMBER: 88-4

PROJECT LOCATION: 2 Eastern Rd

APPLICANT: Doctor Inc.  
Paul Murphy

DATE OF ISSUANCE: 11/28/88

**APPROVED**

MAILING ADDRESS: 2 Eastern Rd

FEE: 150 -

NOV 28 1988

**ACTON BOARD OF HEALTH**

Pursuant to the authority of Chapter I- Hazardous Materials Control Bylaw of the Town of Acton's General Bylaws the Board of Health has considered your application and plans submitted therewith, and has determined that the materials to be stored within the scope of the said Bylaw. The Board of Health hereby orders that the following conditions are necessary and all storage must be performed in strict conformance herewith:

CONDITIONS:

- ✓ 1. Oil and waste must be removed by a qualified disposal service.
- ✓ 2. A yearly inspection of the underground storage tank must be done with a report to the Board of Health.
- ✓ 3. All MSDS's must be made available for inspection by all workers.
- ✓ 4. Sufficient bags of cleanup material must be available in the event of a spill of hazardous materials. *SPEEDY DRY*
- ✓ 5. The containment buffer surrounding the drum be capable of holding 150 gallons.
- ✓ 6. The underground storage tank must be inspected once per year.
- ✓ 7. The underground storage tank must be at least 500 gallon capacity.

HAZARDOUS MATERIAL PERMIT APPLICATION

Legal Name of Facility/Establishment: THE DOCTOR INC

Business Address: 2 EASTERN RD ACTON MASS 01720

Telephone Number: 263-2773

Corporate Officers: Paul R Murphy Sr. Pres.

Emergency contact person:

Days: Paul Murphy-263-2773 Evenings: Paul R Murphy 597-2853

Primary Form of Production or Business: Auto Repair  
SAAB- Volvo

Type of Permit Requested:

- ☒ 1. Storage of hazardous materials, other than flammable or combustible materials, of more than 25 gallons liquid volume or 25 pounds dry weight.
- ☐ 2. Storage of hazardous materials, other than flammable or combustible materials, of less than 25 gallons liquid volume or 25 pounds dry weight (as noted on Board of Health list)
- ☐ 3. Storage of liquid hazardous materials overnight in delivery trucks or tank trailers.

Location of Storage Facility:

Please check whether your storage facility, including tanks and/or trucks, is within one of the following groundwater protection districts:

1. Well protection area ☐  
2. Recharge protection area ☐  
3. Aquifer protection area ☒

RECEIVED  
OCT 19 1988

The following must be submitted to the Board of Health:

ACTON BOARD OF HEALTH

1. Evidence of the date of purchase and installation of existing storage systems.
2. A plot plan showing the location of tanks and piping on the property.
3. Copies of all permit applications and supporting data, and all permits obtained, notices of approval, denial, revocation or citations for violations relative to the following: the Resource Conservation and Recovery Act, 42USCS5901; the Federal Clean Air Act, 42USCS1857; the Federal Clean Water Act, 33USCS1251; Toxic Substance Control Act 15USCS2601; Safe Drinking Water Act 42USCS300f; The Federal Insecticide, Fungicide and Rodenticide Act 7USCS136; Federal Spill Prevention Control and Countermeasures (SPCC) Oil Pollution Prevention, Title 40 Code of Federal Regulations, Part 109, 110 & 112; The Massachusetts Hazardous Waste Management Act, MGL Ch 21C, as amended; and other Mass. statutes similar to, or based upon the Federal Acts listed in previous Acts; and the Massachusetts Clean Water Act, MGL Ch 21 S26.

NOTE: Any changes in information contained within this application shall be reported immediately to the Board of Health.